DIMENSIONS ARE APPROXIMATE
OVERALL HEIGHT = 112"
OVERALL WIDTH WITH RUB RAILS & FENDERETTES = 98"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN CUSTOM AMBULANCES Built for Life	FRONT EXTERIOR VIEW CHIEF XL-I/F550 4x4 CHASSIS	DATE: 10-11-24 DWG. SER / REV. NR	DRAWING NO. CPQ-11212 SELECT-1

APPROVAL SIGNATURE: DATE:

DIMENSIONS ARE APPROXIMATE
OVERALL HEIGHT = 112"
OVERALL WIDTH WITH RUB RAILS & FENDERETTES = 98"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN CUSTOM AMBULANCES Built for Life	REAR EXTERIOR VIEW CHIEF XL-I/F550 4x4 CHASSIS	1:16	DATE: 10-15-24 DWG. SER / REV. A	DRAWING NO. CPQ-11212 SELECT-2

DIMENSIONS ARE APPROXIMATE
OVERALL HEIGHT = 112"
OVERALL LENGTH = 307"
MODULE LENGTH = 169"

NOTE: DEF FILL REMOVED IF GAS CHASSIS IS QUOTED.



COMPARTMENT

O.S.S #1
CLEAR OPENING: 77.00h x 18.25w
INSIDE DIM'S.: 86.75h x 24.50w x 20.75d
"EZ O2 LIFT" OXYGEN SYSTEM

O.S.S #2
CLEAR OPENING: 44.25h x 39.50w
INSIDE DIM'S.: 47.75h x 45.50w x 20.75d
(1) ADJUSTABLE SHELF

O.S.S #3
CLEAR OPENING: 63.50h x 28.75w
INSIDE DIM'S.: 65.25h x 32.50w x 20.75d
INSIDE/OUTSIDE ACCESS
(1) ADJUSTABLE SHELF
STAIR CHAIR POCKET/STRAP ON THE DOOR

OSS COMPARTMENTS TO HAVE RIDGEBACK STRIP LIGHTS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN CUSTOM AMBULANCES Built for Life	STREETSIDE EXTERIOR VIEW CHIEF XL-I/F550 4x4 CHASSIS	1:30	DATE: 10-11-24 DWG. SER / REV. NR	DRAWING NO. CPQ-11212 SELECT-3

DIMENSIONS ARE APPROXIMATE
OVERALL HEIGHT = 112"
OVERALL LENGTH = 307"
MODULE LENGTH = 169"



COMPARTMENT
O.S.S #4
CLEAR OPENING: 73.00h x 24.75w
INSIDE DIM'S. 4A: 82.75h x 15.00w x 20.75d
BACKBOARD/SCOOP STORAGE
INSIDE DIM'S. 4B: 82.75h x 13.50w x 20.75d
(2) ADJUSTABLE SHELVES WITH INSIDE/OUTSIDE ACCESS

O.S.S #5
CLEAR OPENING: 69.50h x 17.50w
INSIDE DIM'S. 5A: SEE PARTITION INTERIOR VIEW
INSIDE/OUTSIDE STORAGE WITH (3) ADJUSTABLE SHELVES
INSIDE DIM'S. 5B: 19.00h x 20.75w x 18.00d

OSS COMPARTMENTS TO HAVE RIDGEBACK STRIP LIGHTS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN CUSTOM AMBULANCES Built for Life	CURBSIDE EXTERIOR VIEW CHIEF XL-I/F550 4x4 CHASSIS	1:30	DATE: 10-11-24 DWG. SER / REV. NR	DRAWING NO. CPQ-11212 SELECT-4



COMPARTMENT

#1 DOOR OPENING: 11.00h x 32.25w
INSIDE DIMS: 13.25h x 34.00w x 17.25d
(1) ADJ SHELF EACH SIDE OF CENTER DIVIDER
SLIDING POLYCARBONATE DOORS
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 DOOR OPENING: 11.00h x 32.00w
INSIDE DIMS: 13.25h x 33.75w x 17.25d
(1) ADJUSTABLE SHELF
SLIDING POLYCARBONATE DOORS
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2A DOOR OPENING: 20.50h x 11.75w
INSIDE DIMS: 22.25h x 14.00w x 17.25d
(1) ADJUSTABLE SHELF
SLIDING POLYCARBONATE DOORS
TOTAL CABINET WEIGHT RATING = 25 lbs.

#3 DOOR OPENING: 26.50h x 26.75w
INSIDE DIMS: O.S.S. #3
HINGED POLYCARBONATE DOORS WITH FULL LENGTH
HANDLES AND CENTER SQUEEZE LATCHES
TOTAL CABINET WEIGHT RATING = 40 lbs.

#4 (2) PULL–OUT DRAWERS
INSIDE DIMS: 5.00h x 14.00w x 13.00d
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
TOTAL DRAWER WEIGHT RATING = 10 lbs. EACH

#5 PULL–OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE
INSIDE DIMS: 4.50h x 14.50w x 13.25d
LOCKING STAINLESS STEEL FLUSH PULL LATCH
TOTAL DRAWER WEIGHT RATING = 10 lbs.

CABINETS #1, #2 AND #2A HAVE
RESTOCKING FRAMES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN Custom Ambulances Built for Life	STREETSIDE INTERIOR VIEW CHIEF XL–I	1:22	DATE: 10–15–24 DWG. SER REV. A DRAWING NO. CPQ–11212 SELECT–5



COMPARTMENT

#1 DOOR OPENING: 30.00h x 7.25w
INSIDE/OUTSIDE ACCESS TO OSS #4B
HINGED POLYCARBONATE DOOR WITH FULL LENGTH
HANDLE AND CENTER SQUEEZE LATCH
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 INSIDE DIM'S: 14.25h x 77.00w x 21.00d

#3 DOOR OPENINGS: 6.25h x 29.25w
INSIDE DIMS: 6.25h x 29.25w x 10.25d
TOP HINGED POLYCARBONATE DOORS WITH
CENTER SQUEEZE LATCHES
43" MINIMUM HEADROOM BELOW THE CABINET
TOTAL CABINET WEIGHT RATING = 10 lbs. EACH

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN CUSTOM AMBULANCES Built for Life	CURBSIDE INTERIOR VIEW CHIEF XL–I	1:20	DATE: 10–15–24 DWG. SER / REV. A	DRAWING NO. CPQ–11212 SELECT–6



COMPARTMENT

#1 DOOR OPENING: 16.50h x 13.75w
INSIDE DIMS: 16.50h x 13.75w x 20.50d
(1) ADJUSTABLE SHELF
HINGED ALUMINUM DOOR WITH POLY INSERT
CENTER SQUEEZE LATCH
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 DOOR OPENINGS: 46.00h x 25.75w
INSIDE DIMS: 50.00h x 31.50w x 21.50d
HINGED POLYCARBONATE DOORS WITH FULL LENGTH HANDLES AND CENTER SQUEEZE LATCHES
(3) ADJUSTABLE SHELVES
TOTAL CABINET WEIGHT RATING = 60 lbs.

#3 VENTED RADIO CABINET
INSIDE DIMS: 9.00h x 15.25w x 24.25d
HINGED ALUMINUM DOOR
CHROME LOCKING LEVER LATCH
TOTAL CABINET WEIGHT RATING = 20 lbs.

#4 PULL-OUT DRAWER
INSIDE DIMS: 4.00h x 14.00w x 16.00d
LOCKING STAINLESS STEEL FLUSH PULL LATCH
TOTAL DRAWER WEIGHT RATING = 10 lbs.

#4A DOOR OPENINGS: 12.50h x 16.25w
INSIDE DIMS: 12.50h x 16.25w x 18.50d
HINGED POLYCARBONATE DOORS WITH FULL LENGTH HANDLES ADN CENTER SQUEEZE LATCHES
TOTAL CABINET WEIGHT RATING = 60 lbs.

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN Custom Ambulances Built for Life	PARTITION INTERIOR VIEW CHIEF XL-I	DATE: 10-15-24 DWG. SER / REV. A	DRAWING NO. CPQ-11212 SELECT-7



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN Custom Mobility Built for Life	REAR INTERIOR VIEW CHIEF XL-I	1:12	DATE: 10-15-24 DWG. SER / REV. A	DRAWING NO. CPQ-11212 SELECT-8



= (2) RECESSED CEILING IV HANGER LOCATIONS

= (1) CEILING OXYGEN OUTLET

* (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER FLOOR PLATE AND PRE-WIRE CENTER MOUNT

MODULE WIDTH = 96"
MODULE LENGTH = 169"
MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

EEP SELECT	BRAUN Custom Ambulances Built for Life	FLOOR INTERIOR VIEW CHIEF XL-I	1:22	DATE: 10-15-24 DWG. SER / REV. A	DRAWING NO. CPQ-11212 SELECT-9